





**Manufacturer**      **MKT GmbH & Co.KG**

**Product Name**      **MKT expansion anchors and adhesive anchor rods in stainless steel A4**


**Product Rating**

- The product contains 25% recycled materials and contribute to achieve LEED credits within MR Credit 4.

**Indoor Environmental Quality (IEQ) - LEED Category**

IEQ Credit 4.1: Low Emitting Materials: <b>Adhesives and Sealants</b>	1 Point	
IEQ Credit 4.2: Low Emitting Materials: <b>Paints and Coatings</b>	1 Point	
IEQ Credit 4.3: Low Emitting Materials: <b>Flooring Systems</b>	1 Point	
IEQ Credit 4.4: Low Emitting Materials: <b>Composite Wood and Agrifiber Products</b>	1 Point	

**Materials and Resources (MR) - LEED Category**

MR Credit 4: <b>Recycled Content</b>	1-2 Points	
MR Credit 5: <b>Regional Materials</b>	1-2 Points	
MR Credit 6: <b>Rapidly Renewable Materials</b>	1 Point	
MR Credit 7: <b>Certified Wood</b>	1 Point	






**Product Characteristics**

Expansion anchors and adhesive anchor rods made of stainless steel A4 to be installed into a drill hole or mortar filled drill hole for fixings into concrete and/or masonry, designed according to European Technical Approval, European Technical Assessment or test report. Suitable for structures subject to external atmospheric exposure (including industrial and marine environment), or exposure in permanently damp internal conditions, if no particular aggressive conditions exist.

**About LEED & Products - [www.usgbc.org](http://www.usgbc.org)**

This declaration helps to assess products easily according the certification system LEED® 2009 New Construction and Major Renovations NC & CS (excluded SCHOOLS). Products are not reviewed or certified by LEED. LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information about LEED visit [www.usgbc.org/leed](http://www.usgbc.org/leed). The project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve LEED points.

Below you find an explanation of the symbols. Detailed information are on the next pages.

-  **Credit requirements fulfilled - the credit point can be achieved**
-  **Credit is not applicable to this product**
-  **X% of the product comply with the credit requirement**
-  **Required data not specified - for required data contact manufacturer**
-  **Credit requirements are not fulfilled**

**Manufacturer**                    **MKT GmbH & Co.KG**
**Product Name**                    **MKT expansion anchors and adhesive anchor rods in stainless steel A4**

Detailed Rating	No	Product Name	Manufacturer	Mass per unit* [%]	VOC in g/l	VOC-Limit in g/l	Flooring Systems	Composite Agrifiber product	Recycled Content		Regional Materials		Rapidly Renewable Material	Certified Wood
									Post-Consumer	Pre-Consumer	Location Harvesting/ Extraction	Location Manufacturing		
	A1	MKT expansion anchors and adhesive anchor rods in stainless steel A4	MKT GmbH & Co.KG	~ 100%	N/A	N/A	N/A	N/A	25%**	Not specified	Not specified	Weilerbech (D)	N/A	N/A
	A2													
	A3													
	A4													
	A5													
	A6													
	A7													
	A8													
	A9													
	A10													
		<b>MKT Spreizanker und Ankerstangen aus Edelstahl A4</b>	<b>MKT GmbH &amp; Co.KG</b>	<b>100.0</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<b>25.0%</b>	—	If the location of 'Harvesting & Extraction' and 'Manufacturing' is within a radius of 500 miles of the project the subproduct contributes to the credit.		<input type="radio"/>	<input type="radio"/>
										<b>25.0%</b>				

\*All values are based on the unit: \*\*LEED default recycled content for steel

**Manufacturer**            **MKT GmbH & Co.KG**

**Product Name**            **MKT expansion anchors and adhesive anchor rods  
in stainless steel A4**

**MR Credit 4: Recycled Content (1-2 Points)**

**Intent**

To increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of virgin materials.

**Requirement**

Use materials with recycled content\* such that the sum of post-consumer\*\* recycled content plus one-half of the pre-consumer\*\*\* content constitutes at least 10%/20% (based on cost) of the total value of the materials in the project.

The minimum percentage materials recycled for each point threshold is as follows:

- 10% Recycled Content -> 1 Point
- 20% Recycled Content -> 2 Points.

\* Recycled content is defined in accordance with the International Organization of Standards document, ISO 14021 — Environmental labels and declarations — Self-declared environmental claims (Type II environmental labeling).

\*\* Postconsumer material is defined as waste material generated by households or by commercial, industrial and institutional facilities in their role as end-users of the product, which can no longer be used for its intended purpose.

\*\*\* Preconsumer material is defined as material diverted from the waste stream during the manufacturing process. Reutilization of materials (i.e., rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it) is excluded.

**Detailed Rating**

No	Product Name	Manufacturer	Recycled Content		Contribution of Product	
			Post-Consumer	Pre-Consumer		
A1	MKT expansion anchors and adhesive anchor rods in stainless steel A4	MKT GmbH & Co.KG	25%**	Not specified	Accountable recycled content according to LEED is 25% (1 x Post-Consumer + 0.5 x Pre-Consumer). **1 LEED default recycled content for steel	<b>25%</b>

**Manufacturer**            **MKT GmbH & Co.KG**

**Product Name**            **MKT expansion anchors and adhesive anchor rods  
in stainless steel A4**

**MR Credit 5: Regional Materials (1-2 Points)**

**Intent**

To increase demand for building materials and products that are extracted and manufactured within the region, thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.

**Requirement**

Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site for a minimum of 10% or 20%, based on cost, of the total materials value. If only a fraction of a product or material is extracted, harvested, or recovered and manufactured locally, then only that percentage (by weight) must contribute to the regional value. The minimum percentage regional materials for each point threshold is as follows:

- 10% Regional Materials -> 1 Point
- 20% Regional Materials -> 2 Points.

**Detailed Rating**

No	Product Name	Manufacturer	Location Harvesting/ Extraction	Location Manufacturing
A1	MKT expansion anchors and adhesive anchor rods in stainless steel A4	MKT GmbH & Co.KG	Not specified	Weilerbach (D)